


IT-FG200

CONSTANT WATTAGE HEATING CABLE

FG200 is a parallel circuit, medium wattage, constant power heating cable that can be cut to length to fit the application parameters. It is designed to operate in a variety of process applications in non-chemically aggressive environments where versatile flexibility and at site assembly is required. FG200 comprises out of twin electrical conductors insulated with highly flexible silicone rubber as primary insulation. The heating element is spiraled around the primary insulation and connected to the conductor at pre-defined zone lengths of 500mm. The secondary insulation is made from flexible silicone rubber. For additional mechanical protection and electrical safety reasons the heating cable can be delivered with an optional metal braid.




TECHNICAL DATA

Designation	10 W/m	20 W/m	30 W/M	40 W/m
Size unbraided cable	6.5 x 4.5 mm	6.5 x 4.5 mm	6.5 x 4.5 mm	6.5 x 4.5 mm
Size braided cable	6.8 x 4.8 mm	6.8 x 4.8 mm	6.8 x 4.8 mm	6.8 x 4.8 mm
Power Output at AC 230 V	10 W/m	20 W/m	30 W/m	40 W/m
Power Output at AC 110 V	10 W/m	20 W/m	30 W/m	40 W/m
Area Classification	Ordinary	Ordinary	Ordinary	Ordinary
Max. poss. Circuit Length				
AC 230 V	161 m	81 m	54 m	41 m
AC 110 V	77 m	39 m	26 m	20 m
Max. withstand temperature (de-energized)	180°C	180°C	180°C	180°C
Max. operating temperature (energized)	180°C	180°C	180°C	180°C
Min. Installation Temperature	-40°C	-40°C	-40°C	-40°C
Min. Bending Radius	25 mm	25 mm	25 mm	25 mm
Min. Spacing	20 mm	20 mm	20 mm	20 mm
Color of Outer sheath	Transparent White	Transparent White	Transparent White	Transparent White
Max. poss. Lead Length*	500 mm	500 mm	500 mm	500 mm

*) without additional supply lead

TECHNICAL DATA (continued)



ORDER INFORMATION

Part Description unbraided cable AC 230 V	FG200-10W/M-230V	FG200-20W/M-230V	FG200-30W/M-230V	FG200-40W/M-230V
Part Number	1235-03670210	1235-03670220	1235-03670230	1235-03670240
Part Description unbraided cable AC 110 V	FG200-10W/M-110V	FG200-20W/M-110V	FG200-30W/M-110V	FG200-40W/M-110V
Part Number	1235-03670110	1235-03670120	1235-03670130	1235-03670140
Part Description braided cable AC 230 V	FG200B-10W/M-230V	FG200B-20W/M-230V	FG200B-30W/M-230V	FG200B-40W/M-230V
Part Number	1235-03680210	1235-03680220	1235-03680230	1235-03680240
Part Description braided cable AC 110 V	FG200B-10W/M-110V	FG200B-20W/M-110V	FG200B-30W/M-110V	FG200B-40W/M-110V
Part Number	1235-03680110	1235-03680120	1235-03680130	1235-03680140

ACCESSORIES ORDER INFORMATION

Part Description Connection Kit	FG200- CONNECTION-KIT	Part Description Supply Lead	LTG/SI/2x0.75MM ² /RD BN	Silicone rubber lead w/o ground wire
Part Number	1235-03681000	Part Number	1235-34702401	
		Part Description Supply Lead	LTG/SI/3G0.75MM ² /R DBN	Silicone rubber lead with ground wire
		Part Number	1235-34704307	



SCAN THE QR CODE TO EXPLORE OUR WORLDWIDE LOCATIONS AND FIND YOUR LOCAL SPECIALIST:

www.chromalox.com | isopad.info@chromalox.com

