

Installation and Operation Instructions

HD3DS Series Drip Shield for Model HD3D Unit Heaters



PF927
161-306451-003
December 2017

HD3DS Series Drip Shield for Model HD3D Unit Heaters

Package Contents

A. (1) Drip Shield		E. (1) 1/2" Knockout Seal	
B. (2) 1 x 5/8 SST Flat Washer		F. (1) Bracket Adapter (20-35kW)	
C. (5) 1/4-20 x 1" Machine Screw		G. (1) 5/8-18 Jam Nut (20-35kW)	
D. (5) 1/4-20 Lock Nut			

Step 1

Remove front grille by removing two sheet metal screws on left and right side of case.




Step 2a

1. Install Bracket Adapter (F) according to document PF926 (optional on 2-20kW and included with 25-40kW)

Step 2b

1. Install Drip Shield and line up 4 holes



Step 3


1. Install (4) 1/4-20 x 1" Machine Screws (C) in front hole by pushing up through case
2. Secure with (4) 1/4-20 SST Nuts (D)



Step 4

1. If using swivel bracket, install (1) 1 x 5/8 SST Flat Washer on top of drip shield.

Common Parts



Part Number	Description	Qty.
046907008	Washer - Flat, S300S, 1-1/8 X 0.656"	2
048849019	Screw, 1/4-20, 1" Long	5
049592061	Nut-NWA, 1/4-20, SST, 7/16 Flat	5
048026009	Plug Button	1

Kilowatt Rating	Drip Shield P/N	Bracket Adapter	Jam Nut
2-7.5kW	305547001	NA	NA
10-20kW	305547002	NA	NA
25-40kW	305547003	303577026	075472054

Limited Warranty:

Model CXH heaters include a 3 year limited warranty. For details regarding warranty coverage, please refer to the Chromalox limited warranty at <http://www.chromalox.com/en/about-us/policies/terms-and-conditions-of-sale>.

Chromalox
103 Gamma Drive
Pittsburgh, PA 15238
(800) 443-2640
www.chromalox.com